

LOCAL MENTION.

AMUSEMENTS TONIGHT.

Academy-Hanlon's "Superba."
Bijou-Refined gaiety.
Chase's-Hoyt's "A Tin Soldier."
Columbia-"Are You a Mason?"
Kernan's-"Bohemian Burlesques."
Lafayette-Bellows Stock Company in
"The Sporting Duchess."
National-Joseph Jefferson in "Rip Van Winkle."
505 5th street northwest-Madame Catherine, palmist.

EXCURSIONS TOMORROW.

Trains leave Pennsylvania avenue and 13th street for Mt. Vernon hourly, 10 a.m. and 1:45 p.m.
Steamer Washington for Fortress Monroe and Norfolk at 6:30 p.m.
Cars leave Aqueduct bridge for Arlington and Fort Myer every half hour; Falls Church hourly. See schedule.

GRAND OPENING AT SHERRATT'S CHINA ART STORE.

Today, tomorrow and Tuesday, Sherratt's China Art Store, 608 13th st., is "in the fe" for the annual grand opening. Few events are of greater interest to lovers of the beautiful than many will not doubt take advantage of the occasion to spend a pleasant half hour examining the exquisite things of all sorts in fine hand-painted china. The store will remain open until 9 o'clock each evening.

DRINK KENNY'S NEW CROP TEAS.

Highest quality. Lowest prices.
C. D. Kenny Co., 50 stores.
Teas, Coffees, Sugars.

BEST OLEOMARGARINE, 14c. L.B.

At Johnson's, 729 7th st. n.w.; Best Hams, 12c. lb.; Breakfast Bacon, 12c. lb.; Calf's Feet, 8c. lb.; New York Shoulders, 9c. lb.

HAVE YOU TRIED A POUND

of the celebrated Kin-He Mocha and Java Coffee? If not you are missing your opportunity. All leading grocers are selling it. B. B. Barnshaw & Bro., wholesale agents.

FAIRBANKS' 25c. GOLD DUST, 18c.

At Johnson's, 729 7th st. n.w.; Best Hams, 12c. lb.; Breakfast Bacon, 12c. lb.; Calf's Feet, 8c. lb.; New York Shoulders, 9c. lb.

BIG REDUCTION IN FURNITURE!

We are closing out our entire Stock of Furniture, Carpets, etc., at a big reduction. Buy now and save money. LOWENTHAL'S, 7th and Mass. ave.

BEST GRANULATED SUGAR, 5c. L.B.

At Johnson's, 729 7th st. n.w.; Best Hams, 12c. lb.; Breakfast Bacon, 12c. lb.; Calf's Feet, 8c. lb.; New York Shoulders, 9c. lb.

CITY AND DISTRICT.

Slight Fires.

A slight fire occurred in the house of Geo. O. Miller, No. 60 C street northwest, about 11:30 o'clock last night, destroying the frame of the window in the bath room. Mr. Miller and his son extinguished the flames without turning in an alarm.

A small colored boy named Benjamin

Wheeler, caused a blaze in house in Fitzgerald's alley yesterday afternoon, while playing with matches. No. 6 engine company was summoned to the house and the flames were extinguished before any damage was done.

Fire discovered in the house of L. A. Finch, No. 705 15th street northeast, about

10 o'clock last night by Special Policeman. The flames were extinguished by No. 10 engine company. The damage amounted to about \$15. Mrs. McCarthy of 705 15th street northeast owns the house.

Old Furniture Looks Good as New

When upholstered by our experts. Lowest prices. Stump Bedding Co., 631-9 Mass. ave.-Advertisement.

Will of Isabella Norris.

By the terms of the will of Isabella Norris, dated July 30 last, and filed for probate, bequests as follows are made:

To her sister, Mrs. Ann Heron, the vacant lots in Marlinton, Md., ground rents in Williamsport, Md., and all household effects; "to the most deserving" of her grandchildren, a gold watch, and to the "most deserving" of her grandnephews, a silver watch.

The will of John Kraft, dated October 20

last, has also been filed for probate. He leaves his entire estate to his widow, Hattie Kraft, during her lifetime. Upon her death, the property is to be divided equally between his sons, John Philip Kraft.

The Height of Cultivation and Beauty

shines in the face of Mrs. J. H. Adams. Really the finest gown. 1224 F.-Adv.

Second Corps Association Meets.

At its meeting at the Second Army Corps Association last evening at the new Willard reminiscences of the campaigns of 1891 to 1895 were contributed by Col. A. H. Nickerson, Dr. William Tindall, Capt. Charles Lyman, Gen. Dennis O'Connor, Capt. Theodore Hausman, Surgeon J. R. Hayes, Serg. H. F. Smith and Corporal John Finn. Col. W. C. Sprague recited his poem, "At Gettysburg," and a message from Gen. Alexander S. Webb, now in New York city, was read.

\$1.42 to Annapolis and Return via B.

and O. R. R.
All trains, including the following 16, valid for return until Monday following.-Adv.

The Reformation Discussed.

The Men's Club of Grace Lutheran Church has organized a series of lectures, a program of addresses on the Reformation designed to comprehend that movement from its four most significant points of view. The speakers and their subjects were: "The Renaissance and the Reformation," by Rev. Wm. H. Godes; "The Reformation and the Printing Press," Allen D. Albert, Jr.; "The Reformation and Civil Liberty," Mr. W. H. Beck; "The Reformation and Music," Rev. Stanley Billheimer; "The Reformation and the Reformation," Rev. J. E. A. Doermann, pastor of the church. Mr. J. E. A. Doermann, pastor of the church. Mr. J. E. A. Doermann, pastor of the church.

\$1.00 to Frederick, Hagerstown and

Winchester and return. From B. and O. R. R. Washington station, 8:00 a.m. Sunday, November 17, returning on special same day.-Adv.

Albert Julien Gompers III.

Mr. Samuel Gompers, president of the American Federation of Labor, received a telegram early yesterday from Denver, Colo., stating that his son, Albert Julien, who had recently undergone a surgical operation at one of the hospitals of that city, was doing well, and that every hope was entertained of his early recovery. Mr. Gompers stated that his son was of robust physique, and at the time of his present illness, which was brought on through his nursing a member of the family, his health was the best. While living at his home in New York city, he had a good deal of attention to all kinds of athletic games, and especially to base ball and football. As an amateur printer he established quite a reputation.

\$1.25 to Baltimore and Return \$1.25

Saturday and Sunday, November 17, good to return until Monday, November 18. All trains except Congressional Limited.-Advertisement.

Business School Reunion.

About eighty of the 111 members of the class of 1901, Business High School, gathered in the assembly hall of the school last night for their second monthly reunion. Miss A. E. Wilner was chosen secretary to fill a vacancy caused by resignation, a new constitution was adopted and dues were assessed. Albert G. Birch, president of the class, delivered an interesting discourse on "Alaska and the Klondike." Misses Irene Dietrich and A. E. Wilner rendered several musical numbers during the evening.

THE REQUEST GRANTED

BUTTERINE COMPANY SECURES EXTENSION OF WATER MAIN.

Favorable Action of Commissioners Recommended-Conditions Imposed by Water Department.

The District Commissioners have finally

decided to grant the request of the Standard Butterine Company for the extension of a water main to their plant in Langdon. The company has been endeavoring to secure water service for the past six months or more, and suggested that if the District did not feel justified in undertaking the project the company would bear the whole expense. The Commissioners have decided on a plan which calls for a 12-inch public trunk main on Bladensburg road, only a portion of which will be laid against the Standard Butterine Company.

On condition that the Standard Butterine Company provide a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

THE REQUEST GRANTED

BUTTERINE COMPANY SECURES EXTENSION OF WATER MAIN.

Favorable Action of Commissioners Recommended-Conditions Imposed by Water Department.

The District Commissioners have finally

decided to grant the request of the Standard Butterine Company for the extension of a water main to their plant in Langdon. The company has been endeavoring to secure water service for the past six months or more, and suggested that if the District did not feel justified in undertaking the project the company would bear the whole expense. The Commissioners have decided on a plan which calls for a 12-inch public trunk main on Bladensburg road, only a portion of which will be laid against the Standard Butterine Company.

On condition that the Standard Butterine Company provide a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for the factory, but will not furnish fire protection or water for domestic use in the Langdon subdivision. A special trench to be laid for the benefit of the factory at the cost of the company, but in view of the fact that a main for service of the factory will ultimately be laid along the same route such a course does not seem to be entirely equitable.

The Standard Butterine Company has a refinery factory and the other improvements in the Langdon subdivision with the water system by a 12-inch main at the present time. The company has a trench for a drainage system for the disposal of waste water, and that the amount of water to be consumed be under the regulation of the District Commissioners, and on condition that there is no sufficient reason for denying the request for water facilities, I am informed that the Commissioners have decided to grant the request and a precedent concerning the regulation of the water supply by the District of Columbia exists in the Georgetown College case.

The question arises, however, as to the proper means of carrying the water to the company's plant. The water supply is to be supplied sufficient for